

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS**

CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS

COMMUNITY BLOOD CENTER DBA SOLVITA
349 S MAIN ST, SUITES 202, 203, 204, 206, 207, 208
DAYTON, OH 45402

CLIA ID NUMBER

36D0348966

EFFECTIVE DATE

07/27/2025

LABORATORY DIRECTOR

JAMES E. GATTON

EXPIRATION DATE

07/26/2027

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)	EFFECTIVE DATE	LAB CERTIFICATION (CODE)	EFFECTIVE DATE
MICROBIOLOGY - BACTERIOLOGY (110)	07/27/1995		
MICROBIOLOGY - MYCOLOGY (120)	07/27/1995		

**PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.
FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA.**